



CVE-2022-29598

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

Summary

CVE	CVE-2022-29598
State	PUBLIC
Assigner	cve@mitre.org
Source Priority	CVE Program / NVD first with legacy fallback
Published	2022-06-02 14:15:00 UTC
Updated	2022-06-09 20:11:00 UTC
Description	Solutions Atlantic Regulatory Reporting System (RRS) v500 is vulnerable to an reflected Cross-Site Scripting (XSS) vulnera

Risk And Classification

Problem Types: CWE-79

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Solutions-atlantic	Regulatory Reporting System	500	All	All	All

References

Reference	Source
GitHub - TheGetch/CVE-2022-29598: The RRS v500 application is vulnerable to a reflected Cross-Site Scripting (XSS) vulnerability.	MISC
rrs - Solutions Atlantic	MISC
CVE Program record	CVE.C
NVD vulnerability detail	NVD

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

Free CVE JSON API cve.report/api

CVE.report and Source URL Uptime Status status.cve.report