



CVE-2022-41644

Published on: Not Yet Published

Last Modified on: 11/02/2022 01:00:00 PM UTC

CVE-2022-41644

Source: Mitre

Source: NIST

CVE.ORG

Print: PDF



Certain versions of [Infrasuite Device Master](#) from [Deltaww](#) contain the following vulnerability:

Delta Electronics InfraSuite Device Master versions 00.00.01a and prior lacks authentication for a function that changes group privileges. An attacker could use this to create a denial-of-service state or escalate their own privileges.

CVE-2022-41644 has been assigned by [ics-cert@hq.dhs.gov](#) to track the vulnerability - currently rated as **HIGH** severity.

Affected Vendor/Software: [Delta Electronics](#) - **InfraSuite Device Master** version = 0

CVSS3 Score: **8.8 - HIGH**

Attack Vector	Attack Complexity	Privileges Required	User Interaction
NETWORK	LOW	LOW	NONE
Scope	Confidentiality Impact	Integrity Impact	Availability Impact
UNCHANGED	HIGH	HIGH	HIGH

CVE References

Description	Tags	Link
Delta Electronics InfraSuite Device Master (Update A) CISA	www.cisa.gov text/html	MISC www.cisa.gov/uscrt/ics/advisories/icsa-22-298-07

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to [comment@cve.report](#).

There are currently no QIDs associated with this CVE

Known Affected Configurations (CVE-2022-41644)

Known Affected Configurations (CPE V2.3)						
Type	Vendor	Product	Version	Update	Edition	Language
Application	Deltaww	Infrasuite Device Master	All	All	All	All
cpe:2.3:a:deltaww:infrasuite_device_master:*****:						
No vendor comments have been submitted for this CVE						
Social Mentions						
Source	Title					Posted (UTC)
 /r/netcve	CVE-2022-41644					2022-10-31 20:38:44
← Previous ID			Next ID→			