



CVE-2023-1300

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

Summary

CVE	CVE-2023-1300
State	PUBLIC
Assigner	cna@vuldb.com
Source Priority	CVE Program / NVD first with legacy fallback
Published	2023-03-09 22:15:00 UTC
Updated	2023-11-07 04:03:00 UTC
Description	A vulnerability classified as critical was found in SourceCodester COVID 19 Testing Management System 1.0. Affected by t

Risk And Classification

Problem Types: CWE-89

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Lang
Application	Covid 19 Testing Management System Project	Covid 19 Testing Management System	1.0	All	All	All

References

Reference	Source	Link	Tags
Login required	MISC	vuldb.com	
bug_report/SQLi-1.md at main · mhz2846415362/bug_report · GitHub	MISC	github.com	
Login required	MISC	vuldb.com	
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

Free CVE JSON API cve.report/api

CVE.report and Source URL Uptime Status status.cve.report