



CVE-2023-30901

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

Summary

CVE	CVE-2023-30901
State	PUBLIC
Assigner	productcert@siemens.com
Source Priority	CVE Program / NVD first with legacy fallback
Published	2023-06-13 09:15:00 UTC
Updated	2024-01-09 10:15:00 UTC
Description	A vulnerability has been identified in POWER METER SICAM Q200 family (All versions < V2.70). The web interface of the

Risk And Classification

Problem Types: CWE-352

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Hardware	Siemens	Q200	-	All	All	All
Operating System	Siemens	Q200 Firmware	All	All	All	All

References

Reference	Source	Link	Tags
cert-portal.siemens.com/productcert/pdf/ssa-887249.pdf	MISC	cert-portal.siemens.com	
cert-portal.siemens.com/productcert/pdf/ssa-480095.pdf		cert-portal.siemens.com	
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

Free CVE JSON API cve.report/api

CVE.report and Source URL Uptime Status status.cve.report