



CVE-2023-33363

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

Summary

CVE	CVE-2023-33363
State	PUBLIC
Assigner	cve@mitre.org
Source Priority	CVE Program / NVD first with legacy fallback
Published	2023-08-03 16:15:00 UTC
Updated	2023-08-08 19:49:00 UTC
Description	An authentication bypass vulnerability exists in Suprema BioStar 2 before 2.9.1, which allows unauthenticated users to acco

Risk And Classification

Problem Types: CWE-287

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Supremainc	Biostar 2	All	All	All	All

References

Reference	Source	Link	Tags
CVE-2023-33363 Claroty	MISC	claroty.com	
Version 2.9.1 (V2.9.1.25) []	MISC	kb.supremainc.com	
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

Free CVE JSON API cve.report/api

CVE.report and Source URL Uptime Status status.cve.report