



CVE-2023-34116

Published on: Not Yet Published

Last Modified on: 07/18/2023 09:08:00 PM UTC

CVE-2023-34116

Source: Mitre

Source: NIST

CVE.ORG

Print: PDF



Certain versions of [Zoom](#) from [Zoom](#) contain the following vulnerability:

Improper input validation in the Zoom Desktop Client for Windows before version 5.15.0 may allow an unauthorized user to enable an escalation of privilege via network access.

CVE-2023-34116 has been assigned by [Z](#) security@zoom.us to track the vulnerability - currently rated as **HIGH** severity.

Affected Vendor/Software: [Z](#) Zoom Video Communications, Inc. - Zoom Desktop Client for Windows version = before 5.15.0

CVSS3 Score: **8.8 - HIGH**

Attack Vector	Attack Complexity	Privileges Required	User Interaction
NETWORK	LOW	LOW	NONE
Scope	Confidentiality Impact	Integrity Impact	Availability Impact
UNCHANGED	HIGH	HIGH	HIGH

CVE References

Description	Tags	Link
Security Bulletins Zoom	explore.zoom.us text/html	Z MISC explore.zoom.us/en/trust/security/security-bulletin/

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to [comment@cve.report](#).

Related QID Numbers

[378717](#) Zoom Client Improper Input Validation Vulnerability (ZSB-23018)

Known Affected Configurations (CPE V2.3)						
Type	Vendor	Product	Version	Update	Edition	Language
Application	Zoom	Zoom	All	All	All	All
cpe:2.3:a:zoom:zoom:*:*:*:*:windows:*:*:						
No vendor comments have been submitted for this CVE						
Social Mentions						
Source	Title					Posted (UTC)
 @CVEreport	CVE-2023-34116 : Improper input validation in the Zoom Desktop Client for #Windows before version 5.15.0 may allow... twitter.com/i/web/status/1...					2023-07-11 17:06:45
 @cracbot	CVE-2023-34116 (CVSS:8.2, HIGH) is Received. Improper input validation in the Zoom Desktop Client for Windows befor... twitter.com/i/web/status/1...					2023-07-12 06:00:33
← Previous ID			Next ID →			