



CVE-2023-36538

Published on: Not Yet Published

Last Modified on: 07/19/2023 12:24:00 AM UTC


CVE-2023-36538

Source: Mitre

Source: NIST

CVE.ORG

Print: PDF



Certain versions of [Rooms](#) from [Zoom](#) contain the following vulnerability:

Improper access control in Zoom Rooms for Windows before version 5.15.0 may allow an authenticated user to enable an escalation of privilege via local access.

CVE-2023-36538 has been assigned by [Z](#) security@zoom.us to track the vulnerability - currently rated as **HIGH** severity.

Affected Vendor/Software: [Z](#) Zoom Video Communications, Inc. - Zoom Rooms for Windows version = before 5.15.0

CVSS3 Score: **7.8 - HIGH**

Attack Vector	Attack Complexity	Privileges Required	User Interaction
LOCAL	LOW	LOW	NONE
Scope	Confidentiality Impact	Integrity Impact	Availability Impact
UNCHANGED	HIGH	HIGH	HIGH

CVE References

Description	Tags	Link
Security Bulletins Zoom	explore.zoom.us text/html	Z MISC explore.zoom.us/en/trust/security/security-bulletin/

By selecting these links, you may be leaving CVEreport webspace. We have provided these links to other websites because they may have information that would be of interest to you. No inferences should be drawn on account of other sites being referenced, or not, from this page. There may be other websites that are more appropriate for your purpose. CVEreport does not necessarily endorse the views expressed, or concur with the facts presented on these sites. Further, CVEreport does not endorse any commercial products that may be mentioned on these sites. Please address comments about any linked pages to comment@cve.report.

Related QID Numbers

[378715](#) Zoom Rooms Multiple Vulnerabilities (ZSB-23021, ZSB-23022 and ZSB-23024)

Known Affected Configurations (CPE V2.3)						
Type	Vendor	Product	Version	Update	Edition	Language
Application	Zoom	Rooms	All	All	All	All
cpe:2.3:a:zoom:rooms:*:*:*:*:windows:*:*						
No vendor comments have been submitted for this CVE						
Social Mentions						
Source	Title					Posted (UTC)
 @CVEreport	CVE-2023-36538 : Improper access control in Zoom Rooms before version 5.15.0 may allow an authenticated user to en... twitter.com/i/web/status/1...					2023-07-11 18:27:17
← Previous ID			Next ID →			

© [CVE.report](#) 2023   |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

CVE.report and Source URL Uptime Status [status.cve.report](#)