



CVE-2023-4291

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

Summary

CVE	CVE-2023-4291
State	PUBLIC
Assigner	info@cert.vde.com
Source Priority	CVE Program / NVD first with legacy fallback
Published	2023-09-21 07:15:00 UTC
Updated	2023-09-22 13:47:00 UTC
Description	Frauscher Sensortechnik GmbH FDS101 for FAdC/FAdCi v1.4.24 and all previous versions are vulnerable to a remote code

Risk And Classification

Problem Types: CWE-94

NVD Known Affected Configurations (CPE 2.3)

Type	Vendor	Product	Version	Update	Edition	Language
Application	Frauscher	Frauscher Diagnostic System 101	All	All	All	All
Application	Frauscher	Frauscher Diagnostic System 101	All	All	All	All

References

Reference	Source	Link	Tags
VDE-2023-038 CERT@VDE	MISC	cert.vde.com	
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

Free CVE JSON API cve.report/api

CVE.report and Source URL Uptime Status status.cve.report