



CVE-2026-27663

[MITRE](#)[NVD](#)[CVE.ORG](#)[Print: PDF](#)

Summary

CVE	CVE-2026-27663
State	PUBLISHED
Assigner	siemens
Source Priority	CVE Program / NVD first with legacy fallback
Published	2026-03-26 15:16:34 UTC
Updated	2026-03-30 13:26:50 UTC
Description	A vulnerability has been identified in CPC185 Central Processing/Communication (All versions < V26.10), RTUM85 RTU Ba

Risk And Classification

Primary CVSS: v4.0 7.1 HIGH from productcert@siemens.com

CVSS:4.0/AV:A/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

EPSS: 0.000190000 probability, percentile 0.047630000 (date 2026-04-01)

Problem Types: CWE-770 | CWE-770 CWE-770: Allocation of Resources Without Limits or Throttling

Version	Source	Type	Score	Severity	Vector
4.0	productcert@siemens.com	Secondary	7.1	HIGH	CVSS:4.0/AV:A/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/S
4.0	CNA	DECLARED	7.1	HIGH	CVSS:4.0/AV:A/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/S
3.1	productcert@siemens.com	Primary	6.5	MEDIUM	CVSS:3.1/AV:A/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H
3.1	CNA	DECLARED	6.5	MEDIUM	CVSS:3.1/AV:A/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

CVSS v4.0 Breakdown

Attack Vector

Adjacent

Attack Complexity

Low

Attack Requirements

None

Privileges Required

None

User Interaction

None

Confidentiality

None

Integrity

None

Availability

High

Sub Conf.

None

Sub Integrity

None

Sub Availability

None

CVSS:4.0/AV:A/AC:L/AT:N/PR:N/UI:N/VC:N/VI:N/VA:H/SC:N/SI:N/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSS v3.1 Breakdown

Attack Vector

Adjacent

Attack Complexity

Low

Privileges Required

None

User Interaction

None

Scope

Unchanged

Confidentiality

None

Integrity

None

Availability

High

CVSS:3.1/AV:A/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

Vendor Declared Affected Products

Source	Vendor	Product	Version	Platforms
CNA	Siemens	CPCI85 Central Processing/Communication	affected V26.10 custom	Not specified
CNA	Siemens	RTUM85RTU Base	affected V26.10 custom	Not specified

References

Reference	Source	Link	Tags
cert-portal.siemens.com/productcert/html/ssa-246443.html	productcert@siemens.com	cert-portal.siemens.com	
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

© [CVE.report](https://cve.report) 2026 |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](https://www.mitre.org) and the authoritative source of CVE content is [MITRE's CVE web site](https://www.cve.org). This site includes MITRE data granted under the following [license](https://www.mitre.org/licenses/mitre).

CVE.report and Source URL Uptime Status status.cve.report