



CVE-2026-42062

[MITRE](#)[NVD](#)[CVE.ORG](#)[JSON API](#)[Print: PDF](#)

Summary

CVE	CVE-2026-42062
State	PUBLISHED
Assigner	jpccert
Source Priority	CVE Program / NVD first with legacy fallback
Published	2026-05-13 13:16:43 UTC
Updated	2026-05-13 15:47:10 UTC
Description	ELECOM wireless LAN access point devices contain an OS command injection in processing of username parameter. If pr

Risk And Classification

Primary CVSS: v4.0 9.3 CRITICAL from vultures@jpccert.or.jp

CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

EPSS: 0.003340000 probability, percentile 0.562740000 (date 2026-05-18)

Problem Types: CWE-78 | CWE-78 Improper neutralization of special elements used in an OS command ('OS Command Injection')

Version	Source	Type	Score	Severity	Vector
4.0	vultures@jpccert.or.jp	Secondary	9.3	CRITICAL	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N/E:
4.0	CNA	CVSS	9.3	CRITICAL	CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N
3.0	vultures@jpccert.or.jp	Secondary	9.8	CRITICAL	CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H
3.0	CNA	CVSS	9.8	CRITICAL	CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

CVSS v4.0 Breakdown

Attack Vector

Network

Attack Complexity

Low

Attack Requirements

None

Privileges Required

None

User Interaction

None

Confidentiality

High

Integrity

High

Availability

High

Sub Conf.

None

Sub Integrity

None

Sub Availability

None

CVSS:4.0/AV:N/AC:L/AT:N/PR:N/UI:N/VC:H/VI:H/VA:H/SC:N/SI:N/SA:N/E:X/CR:X/IR:X/AR:X/MAV:X/MAC:X/MAT:X/MPR:X/MUI:X/MVC:X/MVI:X/MVA:X/MSX/MSI:X/MSA:X/S:X/AU:X/R:X/V:X/RE:X/U:X

CVSS v3.0 Breakdown

Attack Vector

Network

Attack Complexity

Low

Privileges Required

None

User Interaction

None

Scope

Unchanged

Confidentiality

High

Integrity

High

Availability

High

CVSS:3.0/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Vendor Declared Affected Products

Source	Vendor	Product	Version	Platforms
CNA	ELECOM CO.LTD.	WRC-BE72XSD-B	affected v1.1.1 and earlier	Not specified
CNA	ELECOM CO.LTD.	WRC-BE72XSD-BA	affected v1.1.1 and earlier	Not specified
CNA	ELECOM CO.LTD.	WRC-BE65QSD-B	affected v1.1.0 and earlier	Not specified

References

Reference	Source	Link	Tags
www.elecom.co.jp/news/security/20260512-01	vultures@jpcert.or.jp	www.elecom.co.jp	
jvn.jp/en/jp/JVN03037325	vultures@jpcert.or.jp	jvn.jp	
CVE Program record	CVE.ORG	www.cve.org	canonical
NVD vulnerability detail	NVD	nvd.nist.gov	canonical, analysis

No vendor comments have been submitted for this CVE.

There are currently no legacy QID mappings associated with this CVE.

© CVE.report 2026 |

Use of this information constitutes acceptance for use in an AS IS condition. There are NO warranties, implied or otherwise, with regard to this information or its use. Any use of this information is at the user's risk. It is the responsibility of user to evaluate the accuracy, completeness or usefulness of any information, opinion, advice or other content. EACH USER WILL BE SOLELY RESPONSIBLE FOR ANY consequences of his or her direct or indirect use of this web site. ALL WARRANTIES OF ANY KIND ARE EXPRESSLY DISCLAIMED. This site will NOT BE LIABLE FOR ANY DIRECT, INDIRECT or any other kind of loss.

CVE, CWE, and OVAL are registered trademarks of [The MITRE Corporation](#) and the authoritative source of CVE content is [MITRE's CVE web site](#). This site includes MITRE data granted under the following [license](#).

Free CVE JSON API cve.report/api

CVE.report and Source URL Uptime Status status.cve.report